

## CLAIMS

What is claimed is:

- 5           1.       A communication protocol comprising the steps of:
- a) a sending application resident on a first computer system selecting a transport mechanism and passing data to a first utility program resident on said first computer system;
- b) said first utility program, adding a token, a data type category identifier, and a data type identifier to said data to form an information packet and then, transparently to said sending application, using said transport mechanism to transmit said information packet to a second computer system;
- 10           c) a second utility program, resident on said second computer system, locating said data type identifier in said information packet using said token;
- d) said second utility program indexing a relevant category of an application registry with said data type identifier to determine a destination application that is associated with said data type identifier, wherein said application registry comprises identifiers categorized into a plurality of different data type categories and wherein said data type category identifier of said
- 15           information packet identifies said relevant category; and
- e) supplying said data packet to said destination application.
2.       A communication protocol as described in Claim 1 wherein said first computer system and said second computer system are portable computer
- 25           systems.

3. A communication protocol as described in Claim 1 wherein said first computer system and said second computer system are hand-held portable computer systems.

5

4. A communication protocol as described in Claim 1 wherein said transport mechanism is substantially compliant with the Short Message Service (SMS) standard.

10

5. A communication protocol as described in Claim 1 wherein said transport mechanism includes the use of a GSM wireless communication device.

15

6. A communication protocol as described in Claim 1 wherein said plurality of data type categories comprise: an Extension category; a MIME type category and an Application Creator category.

7. A communication protocol as described in Claim 6 wherein said data type category identifier is a numeric value.

20

8. A transport-independent communication protocol between computer systems comprising the steps of:

a) a sending application resident on a first computer system selecting a wireless transport mechanism and passing data to a first utility program resident

25

on said first computer system;

b) said first utility program, adding a token, a data type category identifier, and a data type identifier to said data to form an information packet and then, transparently to said sending application, using said wireless transport mechanism to transmit said information packet to a second computer system;

5 c) a second utility program, resident on said second portable computer system, locating said data type identifier in said information packet using said token;

d) said second utility program indexing a relevant category of said application registry with said data type identifier to determine a destination application that is associated with said data type identifier, wherein said application registry comprises identifiers of a plurality of different data type categories comprising: an Extension category; a MIME type category and an Application Creator category, and wherein said data type category identifier of said information packet identifies said relevant category; and

10 e) supplying said data packet to said destination application.

15

9. A communication protocol as described in Claim 8 wherein said first portable computer system and said second portable computer system are hand-held portable computer systems.

20

10. A communication protocol as described in Claim 8 wherein said wireless transport mechanism is substantially compliant with the Short Message Service (SMS) standard.

11. A communication protocol as described in Claim 10 wherein said wireless transport mechanism includes the use of a GSM wireless communication device.

5 12. A communication protocol as described in Claim 6 wherein said data type category identifier is a numeric value.

13. A communication system comprising:

10 a sending application resident on a first computer system for selecting a transport mechanism and passing data to a first utility program resident on said first computer system;

15 said first utility program for adding a token, a data type category identifier, and a data type identifier to said data to form an information packet and then for using said transport mechanism to transmit said information packet to a second computer system;

an application registry resident on said second computer system and comprising identifiers of a plurality of different data type categories; and

20 a second utility program, resident on said second computer system, for locating said data type identifier using said token and for indexing a relevant category of said application registry with said data type identifier to determine a destination application that is associated with said data type identifier, wherein said data type category identifier of said information packet identifies said relevant category.

14. A communication system as described in Claim 13 wherein said first computer system and said second computer system are portable computer systems.

5 15. A communication system as described in Claim 13 wherein said first computer system and said second computer system are hand-held portable computer systems.

10 16. A communication system as described in Claim 13 wherein said transport mechanism is substantially compliant with the Short Message Service (SMS) standard.

15 17. A communication system as described in Claim 13 wherein said transport mechanism includes the use of a GSM wireless communication device.

18. A communication system as described in Claim 17 wherein said transport mechanism includes the use of a GSM wireless communication device.

20 19. A communication system as described in Claim 13 wherein said plurality of data type categories comprise: an Extension category; a MIME type category and an Application Creator category.

20. A communication system as described in Claim 19 wherein said data type category identifier is a numeric value.

10  
20  
30  
40  
50  
60  
70  
80  
90  
100  
110  
120  
130  
140  
150  
160  
170  
180  
190  
200  
210  
220  
230  
240  
250  
260  
270  
280  
290  
300  
310  
320  
330  
340  
350  
360  
370  
380  
390  
400  
410  
420  
430  
440  
450  
460  
470  
480  
490  
500  
510  
520  
530  
540  
550  
560  
570  
580  
590  
600  
610  
620  
630  
640  
650  
660  
670  
680  
690  
700  
710  
720  
730  
740  
750  
760  
770  
780  
790  
800  
810  
820  
830  
840  
850  
860  
870  
880  
890  
900  
910  
920  
930  
940  
950  
960  
970  
980  
990  
1000